
Declassified in Part - Sanitized Copy Approved for Release 2011/12/12: CIA-RDP88G01332R000800980002-5

TRANSMIT		12	Feb 1986
TO:	— —— А		
ROOM NO. 7D24	BUILDING HQS		
REMARKS:			
Exc	LIJA	EUL	13 Jeb-
ADA	DA _	2_	14 1986
DV	AA		All
DD	A PLA	IN5_	ly_
DD	A MS		B
0.26	REGI.	c Tn 11	
	NEGI	SIRY	
FROM: D/	OF		İ
ROOM NO. 1212	BUILDING Key		EXTENSION

STAT

	(Optional)	Additional I	Delta Dat	a Termin	ials	A STATE OF THE STA
FROM:	,4000				EXTENSION	NO
Richard J. Kerr Deputy Director for Administration				DATE 18 February 1986		
building)	-	room number, and	* *	PORWARDED	OFFICER'S INITIALS	COMMENTS (Number each comment to show from to whom. Draw a line across column after each c
1. D/(OIT.					Please see DDA's note on
2.	A STATE	A TO			1	attached memo:
,		· · · · · · · · · · · · · · · · · · ·				''D/OIT - Do whatever we
3.						can for OF even if it means
						stealing from EXDIR and EXNET
4.	 		* N-3			D. Kerr''
and the same of						
18.7		The second second		, 1	- +2.75	The state of the s
127.54.254					*** * ********************************	A++
6.			77		1.45	
			İ	İ		
7.						50-5
"					:	
8.			_	+		1
1						
9.						
,						
10.				+		1
		*				-
11.				+ .		-
	en de la companya de la companya de la companya de la companya de la companya de la companya de la companya de	- assumentation - random to be a second second			1	



STAT

CONFIDENTIAL

MEMORANDUM FOR: Director, Office of Information Technology

FROM:

SUBJECT:

Director, Office of Information Technology

Allen R. Elkins
Director of Finance

Request for Additional Delta Data Terminals

A the South Control of the Nox 1. As you are aware, excellent progress has been made on the first two deliverables of the Automated Compensation and Information System (ACIS) development effort. A portion of the software for the Automated Retirement and Separation System (ARESS) is already in place and the balance is now in the final testing stages. Electronic Time and Attendance System (ELECTAS) is also in final testing and is scheduled for implementation in May 1986.

- In reviewing the Compensation Division hardware requirements for these deliverables, it has been determined a minimum of two 25X1 Delta Data terminals are required to support ARESS and four to support the initial implementation of ELECTAS. Of our current allocation of three new terminals for Compensation Division, a total of two have been designated for ARESS support with the remaining one scheduled for ELECTAS. This will still leave us three terminals short to meet the minimum requirements for ELECTAS implementation. ELECTAS will provide tangible benefits for and improve service to the entire Agency, and I am sure you agree that its successful implementation is mandatory. Your assistance is needed in providing three additional terminal installations in Key Building.
- It is requested that you approve the allocation of three additional Delta Data terminals to the Office of Finance to support the ARESS and ELECTAS operations.

Allen R. Elkins

Deputy Director for Administration

25X1

25X1

CONFIDENTIAL

Request for Additional Delta Data Terminals SUBJECT:

25X1

DC/CD/OF 11 February 1986

Distribution:

Orig - Addressee ✓ - DDA

1 - D/OF Chrono

1 - DC/CD

CONFIDENTIAL